

CLASSIFICATION: 06 05 13

PRODUCT DESCRIPTION: Formica® HardStop™ Decorative Protection Panels offer a worry-free solution for high-performance wall panels by blending ease of installation and premium impact resistance with a full range of design selections that coordinate perfectly with other Formica® laminates. Unlike traditional laminate that contains a paper core, HardStop™ features a fiberglass core for added durability and strength.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes
- No

Are All Substances Above the Threshold Indicated:

Characterized Yes No

Percent Weight and Role Provided?

Screened Yes No

Using Priority Hazard Lists with Results Disclosed?

Identified Yes No

Name and Identifier Provided?

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

HARDSTOP DECORATIVE PROTECTION PANEL [ALUMINA TRIHYDRATE BM-2 | RES FORMALDEHYDE, MELAMINE POLYMER, METHYLATED LT-UNK PHENOL FORMALDEHYDE LT-P1 | RES CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK CELLULOSE PULP NoGS]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Hardstop ingredients are tightly controlled and incoming raw materials are QCed. It is tested for total VOC and Formaldehyde gas.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: GreenGuard - Gold (previously Children & Schools)

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2018-10-17

PUBLISHED DATE:

EXPIRY DATE: 2021-10-17



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

HARDSTOP DECORATIVE PROTECTION PANEL

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Raw materials are described by percentages. SDS for each material is obtained and an SDS was developed for the Harsdstop product. Product construction is adhered to a tight quality control standards. Typical residual gases can evolve as VOC as a formaldehyde thus product has been tested by UL environment and has passed Greenguard Gold standards for Wall Surface. In fact test results showed a BQL or Below Quantifiable Level

OTHER PRODUCT NOTES: Hardstop was tested for VOCs and Formaldehyde and meets Greenguard Gold

ALUMINA TRIHYDRATE

ID: 21645-51-2

#: 60.0000 - 68.0000 GS: BM-2 RC: None NANO: No ROLE: Filler and fire suppressant

HAZARDS:

AGENCY(IES) WITH WARNINGS:

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: ATH is derived from a naturally occurring mineral called Bauxite which is used to smelt aluminum

FORMALDEHYDE, MELAMINE POLYMER, METHYLATED

ID: 68002-20-0

#: 10.0000 - 14.0000 GS: LT-UNK RC: None NANO: No ROLE: Polymeric surface binder

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Used to saturate decorative and protective surface sheets prior to pressing and curing operation.

PHENOL FORMALDEHYDE

ID: 9003-35-4

#: 8.0000 - 12.0000 GS: LT-P1 RC: None NANO: No ROLE: Polymeric core sheet binder

HAZARDS:

AGENCY(IES) WITH WARNINGS:

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Used to saturate fiber glass cloth prior to pressing and curing operation

CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE

ID: 65997-17-3

%: **5.0000 - 9.0000** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **Core structural layer**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: **Provides structural and fire resistant properties**

CELLULOSE PULP

ID: 65996-61-4

%: **5.0000 - 9.0000** GS: **NoGS** RC: **None** NANO: **No** ROLE: **Decorative Surface layer**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: **Used to impart design and protective surface layer**

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

GreenGuard - Gold (previously Children & Schools)

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2018-**

EXPIRY DATE: **2019-**

CERTIFIER OR LAB: **UL**

APPLICABLE FACILITIES: **Evendale Ohio**

10-17

10-17

Environment-Greenguard

CERTIFICATE URL:

<http://www.formica.com/en/us/landing-pages/sustainability-2017/sustainability17/emissions-and-greenguard>

CERTIFICATION AND COMPLIANCE NOTES: **Passed Greenguard Gold under the Wall scenario for office space. TVOCs < 0.003 mg/m³ Formaldehyde < 0.002 ppm Total Aldehydes < 0.002 ppm**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

FRP ADHESIVE

HPD URL: **No HPD Available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

To attach Hardstop panels to walls

Section 5: General Notes

Formica® HardStop™ Decorative Protection Panels offer a worry-free solution for high-performance wall panels by blending ease of installation and premium impact resistance with a full range of design selections that coordinate perfectly with other Formica® laminates. Unlike traditional laminate that contains a paper core, HardStop™ features a fiberglass core for added durability and strength.



MANUFACTURER INFORMATION

MANUFACTURER: **Formica**
ADDRESS: **10155 Reading Rd**
Cincinnati ohio 45241, USA
WEBSITE: **formica.com**

CONTACT NAME: **Dave Swenson**
TITLE: **Sales Tech Services**
PHONE: **513 786 3536**
EMAIL: **dave.swenson@formica.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.